

- 1 24" Toshiba - Chyron-Rem MV
- 2 24" Toshiba - PGM (router)
- 3 24" Toshiba - Screen 1 Chyron
- 4 24" Toshiba - Screen 2 Chyron
- 5 32" NEC - Switcher ISO MV

- 6 32" NEC - Assistant MV
- 7 32" NEC - ISO VTR EVS MV
- 8 21.5" Flanders Scientific - PGM
- 9 21.5" Flanders Scientific - PVW
- 10 24" Toshiba - Chyron-Rem MV

- 11 42" NEC - Cams 1 MV
- 12 42" NEC - Cams 2 MV
- 13 32" NEC - MEs DVEs MV



TYPE OF VEHICLE


Gerling Trailer

DIMENSIONS WITHOUT TRACTOR

53'L x 13'.6"H x 8'.5"W (14.5' W w/stairs)

VOLTAGE

190-220 volts – 3 x 200amp



CAMERAS

- 6 Sony HDC1500 (fiber optic) with wiring in place for 12
- Available and Compatible
- Sony HDC4300
- Sony F55 - FS7
- Canon C300

- Camera Control:
- Up to 2 operators for 12 CCU
 - Synchronizers with color correction

- Lenses:
- 2 x Canon 90x 4K UHD
 - 2 x Fujinon 107x 4K UHD
 - Plus virtually unlimited choices



VIDEO PRODUCTION

- Sony production switcher MVS-8000 4xME
- HD - Multiformat
- 51 inputs - 24 outputs
- Still stores

- Transform
- Chyron with 1 or 4 channels (depending on configuration)
- Centrio Multiviewer (Embedded in the video router)



AUDIO

- Studer - Vista 1 - mixing console with 32 faders.
- Genelec Speakers
- Matrice MADI 64x64
- All AES

- Riedel Bolero 10 packs



RECORDING & STORAGE

- 13 KiPro racks with AES or embedded audio (Wiring in place for 12)
- 1 x Sony HDCAM
- 1 x Sony HDCAM SR
- 1 x K2 Dyno



NODAL

- Platinum MX router - 64 x 56
- 8 x Centrio Multiviewers
- 8 x Synchronizing inputs embedded in the router
- 3 x FOR-A digital color corrector DCC-70HS

- 1 x Leitch X75 synchronizer with color correction
- 2 x AJA FS1 UP/Down/Cross Synchronizers
- Evertz MasterClock



NETWORK

- Connectivity with wired internet, LTE, or WiFi with automatic redundancy
- Production WiFi network
- WiFi printer
- Gigabit wired local network (For ultra fast data transfers)



EXTERNAL PANELS

- Video
- Includes intercom, video monitor, and waveform
 - Fiber Optic, Triax, and BNC inputs/outputs

- Audio
- With intercom panel
 - Audio inputs/outputs : MADI, DT-12, Fiber Optic, XLR, etc.
 - Network, telephony, Intercom, 2W, 4W